



www.avtopoliv.net

2018 . HUNTER()





30 000

LED








HQ -			
	HQ33DRC - 3/4"		6 204,24
	HQ3RC - 3/4"		5 285,28
	33 - 3/4", 3/4", 1/2"		3 523,52
SJ -		4-	
	SJ-506 (1/2" 1/2"),	15	197,12
	SJ-706 (3/4" 3/4")	15	216,16
	SJ-7506 (3/4" 1/2")	15	212,24
	SJ-512 (1/2" 1/2")	30	236,88
	SJ-712 (3/4" 3/4")	30	236,88
	SJ-7512 (3/4" 1/2")	30	236,88
	PRO-FLEX - 30		3 699,92
	HSBE-075 (-).	3/4"	25,20
	HSBE-050 (-).	1/2"	25,20
Solar Sync			
	Wireless SolarSync-Sen		16 124,08
	SolarSync-Sen		8 599,36
	SolarSync		11 107,60

	SolarSyncmod (SolarSync-Sen)	7 022,96 .	
	MINI CLIK (3-25) , - 8,0 .	2 935,52 .	
	RAIN CLIK , - 8,0 .	2 935,52 .	
	WirelessClik	8 004,64 .	
	SOIL CLIK	10 964,24 .	
	WIND CLICK 19-56 / .	12 182,80 .	
	FREEZE CLIK +3	4 084,64 .	
	MWS - ,	18 847,36 .	
	MWS-FR - ,	21 785,68 .	
	HC-50F-50F (1/2 1/2)	555,52 .	
	HC-50F-50 (1/2 1/2)	555,52 .	
	HC-75F-75M (3/4 3/4)	631,68 .	

	PROS, PRS30 PRS40	78,40 .	
	PGP PGJ	75,60 .	
	HC-075-FLOW-B	3/4"	12 541,20 .
	HC-100-FLOW-B	1"	14 260,96 .
ACCU-SYNC			
	ACCU-SYNC 30 PSI	3	3 503,36 .
	ACCU-SYNC 40 PSI	4	3 503,36 .
	ACCU-SYNC 50 PSI	5	3 503,36 .
	ACCU-SYNC 70 PSI	7	3 503,36 .
	ACCU-SYNC-ADJ	1,5-7	3 906,56 .
PCZ			
	PCZ-101-25	1,7 3/4" 1"	5 744,48 .
ICV			
15 bar.			
	ICV-101GB (1" 1")		4 978,96 .
	ICV-101GB-FS (1" 1")		6 510,56 .
	ICV-151GB-FS (1 1/2" 1 1/2")		8 042,72 .
	ICV-151GB (1 1/2" 1 1/2")		6 510,56 .
	ICV-201GB (2" 2")		8 425,76 .
	ICV-201GB-FS (2" 2")		9 957,36 .
	ICV-301GB (3" 3")		28 263,76 .
PGV			
10 bar.			
	PGV-100G-B (1" 1")		1 637,44 .
	PGV-100JTG-B (1" 1")		1 650,88 .
	PGV-100JTMM-B (1" 1")		1 650,88 .
	PGV-100MM-B (1" 1")		1 637,44 .
	PGV-101G-B (1" 1")		1 732,08 .
	PGV-101JTG-B (1" 1")		1 744,96 .
	PGV-101JTMM-B (1" 1")		1 744,96 .
	PGV-101MM-B (1" 1")		1 732,08 .
	PGV-151B (1 1/2" 1 1/2")		5 132,96 .
	PGV-201B (2" 2")		6 304,48 .

Hunter			
	Hunter PGP, PGJ, I-20		56,00 .
	M tool MP Rotator		305,20 .
Hunter			
	PROS ()		571,20 .
	PROS ()		134,40 .
	-	Turf Cup I-40 KIT	3 127,60 .
	-	Turf Cup I-90 KIT	5 470,08 .
	PGP, I-20		25,76 .
	/		11,76 .
/ . ,/ PGP, I-20		25,76 .	
HC			
Wi-Fi			
	HC-601-iE	6 . 220V.	19 993,68 .
	HC-1201-iE	12 . 220V.	23 290,40 .
	HC-1200M	12 HC-1201-iE	12 541,20 .
Pro-HC			
Wi-Fi			
	Pro-HC-601-E	6 . 220V.	23 290,40 .
	Pro-HC-1201-E	12 . 220V.	28 593,60 .
	Pro-HC-2401-E	24 . 220V.	50 092,00 .
Pro-HC			
Wi-Fi			
	Pro-HC-601-iE	6 . 220V.	21 427,28 .
	Pro-HC-1201-iE	12 . 220V.	27 160,00 .
	Pro-HC-2401-iE	24 . 220V.	48 658,96 .
X-Core			
	X-Core-401-E	4 . 220V.	9 277,52 .
	X-Core-601-E	6 . 220V.	10 687,04 .
	X-Core-801-E	8 . 220V.	12 801,04 .
X-Core			
	X-Core-201i-E	2 . 220V.	5 382,72 .
	X-Core-401i-E	4 . 220V.	6 087,20 .
	X-Core-601i-E	6 . 220V.	6 791,68 .
	X-Core-801i-E	8 . 220V.	8 553,44 .
X-Core Hybrid			
220V 9V (6)			
	X-Core Hybrid-400	4	17 824,24 .
	X-Core Hybrid-600	6	21 120,40 .
	X-Core Hybrid-800	8	22 685,04 .

ELC					
	ELC-401i-E	4	220V.	3 691,52	
	ELC-601i-E	6	220V.	4 184,32	
Pro-C 16					
	Pro-C-401-E	4	220V.	13 571,60	
	Pro-C-401i-E	4	220V.	11 822,16	
Pro-C					
	PCM-300	3		4 156,32	
	PCM-900	9		15 407,28	
PCC					
	PCC-601-E	6	220V.	14 628,32	
	PCC-1201-E	12	220V.	19 561,36	
PCC					
	PCC-601i-E	6	220V.	13 231,12	
	PCC-1201i-E	12	220V.	18 868,64	
NODE " 9V					
	NODE100		9V.	8 905,68	
	NODE100-VALVE-B			9 751,28	
	NODE-100	PGV-101-GB	9V.	11 724,72	
	NODE200			13 838,72	
	NODE400			15 952,72	
	NODE600				
PSR					
	PSR-22	3,7		7 443,52	
	PSR-52	5,6		11 653,60	
	PSR-53	7,5		21 052,08	
I-Core 6					
	IC-601-PL ()		30-	33 254,48	
		220V.			
	IC-600-M ()		42-x	61 630,24	
		220V.			
	IC-600-SS ()		42-x	125 409,20	
		220V.			
	ICM-600		6	7 938,56	


ACC				12	
	-1200	12	42-	98 178,08	.
	ACM-600		6	29 739,92	.
	-99-D	2-	99	167 690,88	.
	ACC COMM		ACC COM	16 480,80	.
	ADM99			81 337,76	.
	ICD-100	1		8 957,76	.
	ICD-200	2		16 482,48	.
	ICD-400	4		19 349,12	.
	ICD-600	6		31 531,36	.
	ICD-SEN			41 564,32	.
ROAM					
	ROAM-KIT		300	21 427,84	.
	Pro-C	X-Core		2 581,60	.
	Pro-C	X-Core		2 581,60	.
	230V			2 588,32	.
	230V			2 688,00	.
	24 V			995,68	.
	9 V			1 532,16	.
	5CST-B			141,68	.
	AFB	1/2"		294,00	.
	I-20 SR	6	()	35,84	.
	I-20	4	()	156,80	.
	I-20		()	35,84	.
	I-20			35,84	.
	PGJ	()		35,84	.
	PGP	()		35,84	.
	PGP	()	8	35,84	.
	PGP	()	10	35,84	.
	LCS-515	1,5	4,5	124,32	.
	RCS-515	1,5	4,5	124,32	.
	SS-530	1,5	9	124,32	.
	SS-918	2,7	5,5	124,32	.
	S-515	1,5	4,5	124,32	.
	CS-530	1,5	9	124,32	.

	8-F ()	-2,4	-360°	105,28	.	
	8-Q ()	-2,4	-90°	105,28	.	
	8- ()	-2,4	-180°	105,28	.	
	10-F ()	-3,0	-360°	105,28	.	
	10-H ()	-3,0	-180°	105,28	.	
	10-Q ()	-3,0	-90°	105,28	.	
	12-F ()	-3,7	-360°	105,28	.	
	12-H ()	-3,7	-180°	105,28	.	
	12-Q ()	-3,7	-90°	105,28	.	
	15-F ()	-4,6	-360°	105,28	.	
	15-H ()	-4,6	-180°	105,28	.	
15-Q ()	-4,6	-90°	105,28	.		
17-H ()	-5,2	-180°	105,28	.		
17-Q ()	-5,2	-90°	105,28	.		
	4- ()	-1,2	: 0-360°	106,40	.	
	6- ()	-1,8	: 0-360°	106,40	.	
	8- ()	-2,4	: 0-360°	106,40	.	
	10- ()	-3,0	: 0-360°	106,40	.	
	12- ()	-3,7	: 0-360°	106,40	.	
	15- ()	-4,6	: 0-360°	106,40	.	
	17- ()	-5,2	: 0-360°	106,40	.	
	P N ()					
	PCN-10 ()	-3,8 /		190,96	.	
	P N-20 ()	-7,6 /		190,96	.	
	P N-25 ()	-0,9 /		190,96	.	
P N-50 ()	-1,9 /		190,96	.		
	B()					
	B-10	-3,8 /		381,36	.	
	B-20	-7,6 /		381,36	.	
	B-25	-0,9 /		381,36	.	
B-50	-7,6 /		381,36	.		
	() MSBN					
	MSBN-10F, 10 ()	-3,8 /		190,96	.	
	MSBN-25Q ()	-0,9 /		190,96	.	
	MSBN-20F ()	-7,6 /		190,96	.	
MSBN-50H, 50Q ()	-1,9 /		190,96	.		
	2-Q ()	-0,6	-90°	106,40	.	
	2- ()	-0,6	-180°	106,40	.	
	4-Q ()	-1,2	-90°	106,40	.	
	4- ()	-1,2	-180°	106,40	.	
	6-Q ()	-1,8	-90°	106,40	.	
	6- ()	-1,8	-180°	106,40	.	
Rotator						
	MP CORNER	2,5 - 4,5	45 - 105°	740,88	.	
	MP SS-530	1,5 9		740,88	.	
	LCS-515	1,5 4,5		740,88	.	
	RCS-515	1,5 4,5		740,88	.	

Rotator - MP 800SR				
	800SR 90	1,8 - 3,5 ,	90-210°	740,88 .
	800SR 360	1,8 - 3,5 ,	360°	740,88 .
Rotator - MP 1000				
	1000 90	2,5 - 4,5 ,	90-210°	740,88 .
	1000 210	2,5-4,5 ,	210-270°	740,88 .
	1000 360	2,5 - 4,5 ,	360°	740,88 .
Rotator - MP 2000				
	2000 90	4,0 - 6,4 ,	90-210°	740,88 .
	2000 210	4,0 - 6,4 ,	210-270°	740,88 .
	2000 360	4,0 - 6,4 ,	360°	740,88 .
Rotator - MP 3000				
	3000 90	6,7-9,1 ,	90-210°	740,88 .
	3000 210	6,7-9,1 ,	210-270°	740,88 .
	3000 360	6,7-9,1 ,	360°	740,88 .
Rotator - MP 3500				
	3500 90	9,1-10,7 ,	90-210°	740,88 .
	S-16a	5,2 .	25-360°	106,40 .
	S-8a	2,4 .	25-360°	106,40 .
RZWS -				
	RZWS-10-25-CV (25)	- 0,95 /		2 293,76 .
	RZWS-18-50-CV (45)	- 1,90 /		3 870,72 .
	RZWS-36-50-CV (90)	- 1,90 /		4 300,80 .
ECO Rotator , - 1/2" .				
	ECO-04 1090	2,5 - 4,5 ,	90-210°	850,64 .
	ECO-04 2090	4,0 - 6,4 ,	90-210°	850,64 .
	ECO-04 3090	6,7-9,1 ,	90-210°	850,64 .

PROS		- 1/2"			
	PROS-00	- 0		87,36	
	PROS-02	- 5		193,20	
	PROS-03	- 7,5		193,20	
	PROS-04	- 10		193,20	
	PROS-04-CV		- 10	404,32	
	PROS-06	- 15		634,48	
	PROS-06-CV		- 15	1 001,28	
	PROS-12	- 30		1 015,84	
	PROS-12-CV		- 30	1 368,08	
PRS 30		- 1/2"			
	PRS 30-04	- 2,1	- 10	545,44	
	PRS 30-04-CV	- 2,1		714,56	
	PRS 30-06	- 2,1	- 15	1 247,68	
	PRS 30-06-CV	- 2,1		1 564,64	
	PRS 30-12	- 2,1	- 30	1 473,92	
	PRS 30-12-CV	- 2,1		1 932,00	
	PRS 30-12-CV		- 30		
PRS 40		- 1/2"			
	PRS 40-04-CV	MPRotator.	- 2,8 -10	714,56	
	PRS 40-12-CV	MPRotator.	- 2,8 -30	1 932,00	
PS Ultra		- 1/2"			
	PS-U-2 10A Ultra	10	-3,0 : 0-360°	216,72	
	PS-U-2 12A Ultra	12	-3,7 : 0-360°	216,72	
	PS-U-2 15A Ultra	15	-4,6 : 0-360°	216,72	
	PS-U-2 17A Ultra	17	-5,2 : 0-360°	216,72	
	PS-U-2 Ultra		- 5	190,96	
	PS-U-4 Ultra		- 10	202,72	
	PS-U-4 10A Ultra	10	- 10 -3,0 : 0-360°	216,72	
	PS-U-4 12A Ultra	12	- 10 -3,7 : 0-360°	216,72	
	PS-U-4 15A Ultra	15	- 10 -4,6 : 0-360°	216,72	
	PS-U-4 15A Ultra				

	PS-U-4 17A Ultra	17	- 10	216,72	
	: 0-360°		-5,2		
	PS-U-4 5SS Ultra	SS-530. 1,5	- 10	216,72	
	PS-U-6 Ultra		- 15	518,56	
I-20 Ultra 40-360°. 3/4" 4,9-14,0 1,2-53,8 /					
	I-20-04	10		1 787,52	
	I-20-04-SS		10	2 422,00	
	I-20-06	15		2 503,76	
	I-20-06-SS		15	3 419,36	
	I-20-12	30		3 712,80	
I-25 13,6-120,7 / 40-360°. 1" 11,9-21,6					
	I-25-04-B	10		4 045,44	
	I-25-04-SS		10	5 102,72	
	I-25-04-SS-HS	10		12 250,00	
I-40 25,4-129,4 / 40-360°. 1" 13,4-23,2					
	I-40-04-SS-B	10		7 710,08	
	I-40-04-SS-ON	10	(360°),	8 766,80	
I-90 82,8-309,6 / 40-360°. 1 1/2" 18,9-30,8					
	I-90-36V-B	7,5	(360°)	13 880,16	
	I-90-ADV-B	7,5		13 880,16	
PGJ 40-360°. 1/2" 4,3-11,6 2,2-20,5 /					
	PGJ-04		10	931,84	
	PGJ-04- V	10		1 501,92	
	PGJ-06		15	1 918,00	
	PGJ-06-CV	15		2 075,92	
	PGJ-12		30	2 700,32	
	PGJ-12-CV	30		2 850,96	

PGP		40-360°.	3/4"	4,9-15,8	1,7-53,7 /
	PGP-ADJ-XX	10			1 083,04
	PGP-04 Ultra	10			1 153,60
	PGP-04-CV Ultra	10			1 646,96
	PGP- 12 CV	30			3 149,44